26552
Serial No.

## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Da	te of filing in State Engineer's Office	FEB 1 6 1972		
Re	turned to applicant for correction	MAR 1 6 1972		
Co	rrected application filed	MAR 21 1972		
	ıp filed	FEB 1 8 1972	under 26551	
	The applicant Duane E. and	Margie J. Boggi	.0	
of	Box 34 Paradise Valley	, County of		
Sta	te of Nevada 89426	, hereby make	application for permission to appropriate the public	
wat	ters of the State of Nevada, as hereinafte	er stated. (If applicant	is a corporation, give date and place of incorpora-	
tio	n; if a copartnership or association, give	names of members.).		
••••				
		****		
1.	The source of the proposed appropriat	ion is	underground Name of stream, lake or other source.	
2.	The amount of water applied for is	10.0	second-feet	
			acre-feet	
3.	The water to be used forirriga	tion and domest	ic	
4.	If use is for:	irrigation, power, mir	ling, manufacturing, domestic, or other use.	
	(a) Irrigation (state number of acres to	be irrigated)	600	
		-	ered)	
	(c) Other use (describe fully under "No. 11. Remarks")			
	(d) Power:			
~				
Э.	•		bint: NW NE Sec. 6, T.41N., R.40E.,	
	Describe as being within a 40-acre subdivision	n of public survey, and by co	of Sec. 1, T.41N., R.39E. bears urse and distance to a section corner. If on unsurveyed land,	
	it should be stated.			
6.	Descri	be by legal subdivision, if on	and E½ W½ Sec.6, and NE½ NE½ Sec.7, unsurveyed land it should be so stated.	
	T.41N., R.40E. MDB&M			
			••••••	
7.	Use will begin about Jan. 1	and end about	Dec. 31 , of each year.	
8.			5 535.010 you may be required to submit plans and	
			ump, pipelines, and ditches	
	State manner in which water is to be diverted,	whether by dam or other wo	rks, whether through pipes, ditches, flumes, or other conduits.	

2 2 2	Estimated cost of works. \$10,000
10.	Estimated time required to construct works 3 years
11.	Remarks. This well is essential to the economical development of this ranch and
	supplemental to existing rights.
Appl	licant Duane E. and Margie J. Boggio
	By s/ J. R. Caldwell J. R. Caldwell
Com	pared <u>ga/jw</u> 260 Minor St. <u>Winn</u> emucca, Nv. 89445
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
	wing limitations and conditions: This permit is issued subject to all existing rights on
the	source. If well is flowing, a valve must be installed and maintained to prevent
was	te. The well shall be equipped with a 2-inch opening and a parshall flume. The
loc.	ation of the latter to be approved by the State Engineer. It is understood that
thi	s right must allow for a reasonable lowering of the static water level at permittee'
	1 due to any other ground water development in the area. This source is located
	hin an area designated by the State Engineer pursuant to NRS 534.030. The State
	ains the right to regulate the use of the water herein granted at any and all
	ies.
••••	
••	
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not '	to exceed 6.0 cubic feet per second , but not to exceed a yearly
	y of 3.6 acre-feet per acre of land irrigated from any and/or all sources.
	ual construction work shall begin on or before April 3, 1973.
Δcti	·
	of a common compant of Work shall be tiled before
Proc	of of commencement of work shall be filed before
Prod	rk must be prosecuted with reasonable diligence and be completed on or before April
Prod Wor	of of completion of work shall be filed before
Prod Wor Prod App	of of completion of work shall be filed before
Prod Wor Prod App	of of completion of work shall be filed before
Prod Wor Prod App Prod Maj	of of completion of work shall be filed before
Prod Wor Prod App Prod Maj	of of completion of work shall be filed before
Prod Wor App Prod Maj	of of completion of work shall be filed before
Proceedings of the Procedure of the Proc	of of completion of work shall be filed before
Proceedings of the Process of the Pr	of of completion of work shall be filed before